JC17 Rec'd PCT/PTO 20 JUN 2005

New PCT National Phase Application Docket No. 32860-000902/US

IN THE CLAIMS

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

- (Currently Amended) A DNA chip, comprising: -a flat carrier-(2); and, arranged along -an array (3)-of spots (4)-containing catcher molecules, each spot (4) being assigned a microelectrode arrangement (5) for detecting binding events between the catcher molecules and target molecules applied by means of via an analyte solution, characterized in that the electrode arrangement being (5) is at least partially embedded in a hydrophilic reaction layer (14) which is permeable target molecules and in to which immobilized catcher molecules are distributed threedimensionally.
- 2. (Currently Amended) The DNA chip as claimed in claim 1, wherein characterized by a thickness of the reaction layer is(14) of 2 to 100 μm .
- 3. (Currently Amended) The DNA chip as claimed in claim 2, wherein characterized in that the reaction layer has a thickness laying approximately in the range of 1 to 5 L, where L beingis the sum of electrode width and electrode spacing.
- 4. (Currently Amended) The DNA chip as claimed in claim $2-\sigma r$ elaim 3, whereincharacterized in that the electrode width and the electrode spacing lie in the region of 1 $\mu m (2-1000 \text{ nm})$ and wherein that the reaction layer has a thickness of between 2 and 10 μm .

- 5. (Currently Amended) The DNA chip as claimed in claim 3, wherein the microelectrode arrangement is being a two-pole system, and wherein characterized in that the reaction layer has a thickness of approximately 3 μ m.
- 6. (Currently Amended) The DNA chip as claimed in claim 3, wherein the microelectrode arrangement is being a four-pole system, and wherein characterized in that the reaction layer has a thickness of approximately 7 μ m.
- 7. (Currently Amended) The DNA chip as claimed in <u>claim one</u> of claims 1 to 6, characterized in that 1, wherein the reaction layer (14)—is thermally stable up to approximately 95°C.
- 8. (Currently Amended) The DNA chip as claimed in <u>claim 1</u>, wherein one of claims 1 to 7, characterized in that the reaction layer (14)—contains coupling groups for the covalent binding of catcher molecules.
- 9. (Currently Amended) The DNA chip as claimed in <u>claim 1</u>, whereinone of claims 1 to 8, characterized in that the reaction layer (14)—is a hydrogel.
- 10. (Currently Amended) The DNA chip as claimed in claim 6, whereincharacterized by ___ an acrylamide-based radical-crosslinkable hydrogel includeswith at least one of maleic anhydride and/or glycidyl (meth)acrylate as coupling groups.
- 11. (Currently Amended) The DNA chip as claimed in <u>claimone</u> of claims 1 to 10, wherein the electrode arrangement is characterized by an interdigital electrode arrangement—(5).

- 12. (Currently Amended) The DNA chip as claimed in claim 11, wherein characterized in that the interdigital electrode arrangement is a two-pole microelectrode system.
- 13. (Currently Amended) The DNA chip as claimed in claim 11, wherein characterized in that the interdigital electrode arrangement is a four-pole microelectrode system.
- 14. (Currently Amended) The DNA chip as claimed in one of claims 1—to 13, wherein characterized in that the flat carrier includes(2) comprises a semiconductor layer and an insulating layer—(13) connected thereto, the insulating layer latter carrying the electrode arrangement (5)—and the reaction layer (14)—on its side remote from the semiconductor layer.
- 15. (Currently Amended) The DNA chip as claimed in claim 14, wherein characterized in that the semiconductor layer is a silicon layer—(12).
- 16. (New) The DNA chip as claimed in claim 3, wherein the electrode width and the electrode spacing lie in the region of 1 μ m and wherein the reaction layer has a thickness of between 2 and 10 μ m.
- 17. (New) The DNA chip as claimed in claim 2, wherein the reaction layer is thermally stable up to approximately 95°C.
- 18. (New) The DNA chip as claimed in claim 2, wherein the reaction layer contains coupling groups for the covalent binding of catcher molecules.
- 19. (New) The DNA chip as claimed in claim 2, wherein the reaction layer is a hydrogel.

New PCT National Phase Application Docket No. 32860-000902/US

20. (New) The DNA chip as claimed in claim 2, wherein the electrode arrangement is an interdigital electrode arrangement.